## **Leaf Floor Lamp**

"Combining a light and elegant design with an energy-efficient LED technology, the Leaf Floor Lamp has a clean and refined expression. The asymmetric geometry of the design gives it an organic and friendly appearance, inspired by the leaves on a tree. Turn the leaf according to your needs and discover how the lamp will subtly transform its shape, adding a graphic and gentle light silhouette to any space."





**Designed by** Broberg & Ridderstråle

**About the Designer** Broberg & Ridderstråle are Swedish designers and architectural partners. Their work combines

aesthetic rationality with a touch of humor and wit. Both Mats Broberg and Johan Ridderstråle graduated from Konstfack University of Design with honors and have been awarded the Swedish Art

Council's working grant. Their work has been exhibited in Tokyo, Milan, and London.

Environment Indoor

Country of Production China

Preassembled Yes.

**Description** With its elegantly simple lines, the Leaf Floor Lamp brings ambient as well as direct lighting to any

space, paired with its organic shape that is inspired by the leaves of a tree. The design features a dimmable LED light alongside a turnable head, allowing for its user to position the light as desired

for one's individual space and atmosphere.

Material Aluminum, Brass, Coloured PVC cord. The Leaf Floor Lamp is a result of a process combining

turned and casted aluminum and steel, with a strong powder coating as paint. It has a build-in energy-efficient LED bulb with a Lumen Maintenance (Lifetime) of L90 B10 35.000 hours.

Cleaning & Care Wipe off dust with dry cloth. If necessary use a moist cloth, then dry off. Do not use abrasive

cleaning agents. Always switch off the electricity supply before cleaning.

Cord Length 250 cm / 98.4"

Light Source Included Yes.

Dimmable Function Yes.

**Additional Information** The lamp head can rotate a total of 100 degrees, with a 50-degree range of motion to each side.



## **Leaf Floor Lamp**

**Dimensions** 

Length: Height: Width: 22 cm / 8.7" 119 cm / 46.9" Diameter:

43,4 cm / 17.1" 22 cm / 8.7" 180 cm / 70.9"



Ready-to-Ship

White Black Copper Brown Dark Green

Cord Length:

Lamp Rating

Voltage 110-240V 50/60Hz Frequency IP Rating IP20  ${\bf Classification}$ Class II

Socket 52 x integrated, non-

replaceable LEDs

Light Source Specification

52 x integrated, non-


replaceable LEDs

Watt 8Ŵ 370 lm Lumen 54.000h Lumen Maintenance 3.000K Kelvin CRI 90 Dimmable Yes Risk Group Except



## **Leaf Floor Lamp**

## **Energy Label**



Tests, Labels  $\boldsymbol{\delta}$  Certifications

Electromagnetic Compatibilty Electromagnetic Compatibility (EMC)

Safety & Regulations

ECO Design Directive Low Voltage Directive 2014/35 EU (LVD) REACH Regulatory Compliance Mark (RCM) Restriction of Hazardous Substances Directive (RoHs)

Waste of Electronic and Electrical Equipment (WEEE)



P20













**Explore Assets** 

**DOWNLOAD SITE** 

