



CAST SCONCE WALL LAMP W/DIFFUSER, DIMMABLE Designed by *Tom Chung & Jordan Murphy* 



## CAST SCONCE WALL LAMP W/DIFFUSER, DIMMABLE Designed by *Tom Chung & Jordan Murphy*

Cast aluminium lamp with vertical brass arm with mounting plate for wall. The lamp is unable to be adjusted once mounted. Please ensure the correct shade angle before attaching to a wall.



BLACK 1251539

## TECHNICAL SPECIFICATIONS

PRODUCT TYPE

ENVIRONMENT Indoor

DIMENSIONS

H: 19,6 cm / 7,7" Ø: 12,5 cm / 4,7"

D: 18 cm / 7,09"

Black (RAL 9005)

PRODUCTION PROCESS

Sand-caste aluminium with painted finish.

aluminium (reflector) and brushed brass.

Cast aluminium (rough surface),

COLOUR

MATERIALS

WEIGHT 0,85 kg / 1,87 lb

Diffuser is PMMA.

Wall lamp

COLLI

VOLTAGE CE: 220-230 V US: 110-130 V

LIGHT SOURCE

Replaceable LED 5 W

LIGHT SPECIFICATION 181 lm

2700 K Ra > 80 Energy class: G

DIMMER Rotary dimmer on cord.

CANOPY N / A

CORD MATERIAL AND COLOUR PVC cord with matte rubber coating, black, plug, black.

CORD LENGTH 200 cm / 78,7"
The cord can be shortened and be hard wired.

CLASSIFICATION IP20, Class II

CERTIFICATIONS CE certified, tests can be obtained upon request.

PACKAGING TYPE Gift box

PACKAGING MEASUREMENTS (H  $\times$  W  $\times$  D) 25,1 cm  $\times$  16,1 cm  $\times$  22,8 cm / 9,8"  $\times$  6,3"  $\times$  8,9"


MATERIALS & MAINTENANCE Please visit audocph.com for materials, care and maintenance instructions.



0: 12,5 cm / 4,92"



0: 12 cm / 4,7"





## CAST SCONCE WALL LAMP W/DIFFUSER, DIMMABLE, IP44 Designed by Tom Chung & Jordan Murphy

Cast aluminium lamp with vertical brass arm with mounting plate for wall. The lamp is unable to be adjusted once mounted. Please ensure the correct shade angle before attaching to a wall.



BLACK 1255500

## TECHNICAL SPECIFICATIONS

PRODUCT TYPE

COLLI

Wall lamp

ENVIRONMENT Indoor

DIMENSIONS H: 19,6 cm / 7,7" Ø: 12,5 cm / 4,7" D: 18 cm / 7,09"

COLOUR Black (RAL 9005)

PRODUCTION PROCESS Sand-caste aluminium with painted finish.

MATERIALS Cast aluminium (rough surface), aluminium (reflector) and brushed brass. Diffuser is PMMA.

WEIGHT 0,85 kg / 1,87 lb VOLTAGE CE: 220-230 V US: 110-130 V

LIGHT SOURCE Replaceable LED

LIGHT SPECIFICATION 181 lm  $2700 \mathrm{K}$ Ra > 80 Energy class: G

DIMMER Rotary dimmer on cord.

CANOPY N/A

CORD MATERIAL AND COLOUR PVC cord with matte rubber coating, black, plug, black.

CORD LENGTH 200 cm / 78,7" The cord can be shortened and be hard wired.

CLASSIFICATION IP44, Class II

CERTIFICATIONS CE certified, tests can be obtained upon request.

PACKAGING TYPE Gift box

PACKAGING MEASUREMENTS  $(H \times W \times D)$ 25,1 cm × 16,1 cm × 22,8 cm / 9,8" × 6,3" × 8,9"


MATERIALS & MAINTENANCE Please visit audocph.com for materials, care and maintenance instructions.







0:12 cm / 4,7"



D: 18 cm / 7,09"